

1.11

# **INDEX MAPS.** **T. 15 N. R. 12 E. 2<sup>nd</sup> Mer.**

150	150	149	149	149	148
152 6	175 5	173 4	166 3	161 2	157 1 148
177	174	172	166	165	160 156
152 7	174 8	172 9	165 10	160 11	156 12 148
176	173	172	165	164	160 156
152 18	173 17	172 16	164 15	159 14	155 13 147
176	171	171	164	163	159 155
151 19	170 20	169 21	163 22	159 23	155 24 147
176	170	168	165	162	158 154
151 30	170 29	168 28	162 27	158 26	154 25 146
175	169	167	167	162	158 153
151 31	169 32	166 33	161 34	157 35	153 36 146
146	145	145	144	144	144

# **T. 16 N. R. 12 E. 2<sup>nd</sup> Mer.**

				184	184
187 6	215 5	207 4	202 3	2 191	1 184
214	214	207	201	196	196 191
186 7	214 8	206 9	201 10	195 11	190 12 183
213	212	206	200	196	195 190
186 18	212 17	205 16	200 15	195 14	190 13 183
211	211	205	199	194	194 189
186 19	211 20	204 21	199 22	194 23	189 24 183
210	210	204	199	193	193 188
185 30	209 29	203 28	198 27	192 26	188 25 182
209	208	203	197	192	188
185 31	208 32	202 33	197 34	192 35	187 36 182
181	181	181	180	180	180

The figures on the lines refer to the page.

180.

2 Township. N<sup>o</sup>. 16 North, Range 12 East 2<sup>nd</sup> Mer. Ind<sup>o</sup>.

Chs. Lk.

### Township Lines.

#### South Boundary.

West On S. side of sec. 36.

26.50 a Cherry 16 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Oak 16 in. dia. bears S 62 E, 17 lks. dist.

× a Sugar 6 " " " N 38 W, 22 " "

57.00 a Wh. Oak 18 in. diam.

80.00 Set post Cor. to sec. 35 & 36, fr. wh.  
a Sugar 18 in. dia. bears S 28 W, 11 lks. dist. ×

a Sugar 6 " " " N 67 E, 14 " "

Land and Timb. as before.

---

West On S. side of sec. 35.

20.00 a creek 150 lks. wide course South

40.00 Set gr. sec. post, from which  
a Sugar 10 in. dia. bears N 73 E, 10 lks. dist. ×

a Sugar 10 " " " S 80 W, 25 " "

74.00 an Elm 12 in. dia.

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Beech 16 in. dia. bears S 76 E, 23 lks. dist. and

an Ash 24 " " " S 38 W, 10 " "

Land, Rich level. Timb. Sugar  
Walnut Ash and Elm.

---

West On S. side of sec. 34.

18.80 a B. Oak 30 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 8 in. dia. bears S 4 W, 5 lks. dist. and  
a Do. 10 " " " N 20 E, 18 " "

Good Oak land.

66.00 a Brook 3 lks. wide course N.

68.50 a Do. 3 " " " N.

80.00 Set post Cor. to Sec. 33 & 34, from which  
an Ash 30 in. dia. bears S 34 W, 25 lks. dist. ×  
a Wh. Oak 30 in. " " N 18 E, 30 " "



181.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.  
 Ch. 1<sup>st</sup> Sh.  
 Good Oak land.

West On E. Side of Sec. 33.

18.50 a Brook 4<sup>th</sup> l<sup>th</sup> wide Course N.W.

19.00 Intersect Boundary 17.50 l<sup>th</sup>. North of  
 35<sup>th</sup> mile post. & set post. from which  
 a Sugar 18 in. dia. bearg. N 80 E. 13 l<sup>th</sup> dist. &  
 a Sugar 10 " " " N 83 W. 23 " "  
 Surveyed in 1810.

By A. Holmes  
 Deputy Surveyor.

West On S. Side of Sec. 33. from Boundary.

32.50 a Creek 50 l<sup>th</sup> wide Course N.E.

40.00 Set q. sec. post. from which  
 a Sugar 18 in. dia. bearg. N 80 E. 27 l<sup>th</sup> dist. &  
 a Do. 6 " " " S 61 W. 8 " "

53.90 a Beech 24 in. diam.

77.18 a Brook 4<sup>th</sup> l<sup>th</sup> wide Course S.E.

80.00 Set post Cor. of Sec. 32 & 33. fr. which  
 a Sugar 14 in. dia. bearg. S 81 E. 10 l<sup>th</sup> dist. &  
 a Beech 6 " " " N 82 W. 9 " "  
 Over good farming land Timber  
 Beech Sugar Ash. Spice &c.

West On S. Side of Sec 32.

18.76 a Beech 20 in. diam.

40.00 Set q. sec. post. from which  
 a Beech 22 in. diam. bearg. N 8 W. 9 l<sup>th</sup> dist. &  
 an Ironwood 7 in. dia. " S 81 E. 12 " "

80.00 Set post Cor. to Sec. 31 & 32. from wh.  
 a - 30 in. dia. bearg. N 7 E. 43 l<sup>th</sup> dist. and  
 a - 30 " " " S 56 W. 17 " "

Over land as before.

West On S. Side of Sec. 31.

182.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

Ch. Sk.

- 13.90 a Poplar 30 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Beech 10 in. dia. bears N 23 W. 9<sup>th</sup> dist. 4  
 a Sugar 12 " " South 13 " "  
 64.50 a Brook 4<sup>th</sup> wide course N.  
 70.20 an Elm 30 in. diam.  
 92.63 Intersect Range line between Ranges  
 11 & 12 East T. 15 & 16 N. at the corner  
 Over good farming land, Timber, -  
 Beech Sugar Poplar and Oak. -  
 Undergrowth spice.

Surveyed in 1819.

By John M. C. Donato  
 Deputy Surveyor.

East Boundary.

- North on E. side of sec. 36.  
 37.00 a Buckeye 10 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Buckeye 14 in. dia. bears S 45 W. 21<sup>th</sup> dist.  
 a Blue Ash 15 " " " N 21 E. 31 "  
 67.00 a Sugar 30 in. diam.  
 80.00 Set post cor. to sec. 25 & 36. from wh.  
 a Beech 30 in. dia. bears N 24 W. 9<sup>th</sup> dist. 4  
 a Beech 24 " " " S 20 E. 50 " "  
 Timb. Sugar Elm, Ash, Hickory &c.  
 Rich level land.

North on E. side of sec. 25.

- 29.50 a Walnut 20 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Walnut 20 in. dia. bears S 29 W. 6<sup>th</sup> dist. 4  
 a Buckeye 16 " " " N 37 E. 23 " "  
 72.00 an Elm 18 in. dia.  
 80.00 Set post cor. to sec. 24 & 25. from wh.  
 a Sugar 30 in. dia. bears N 24 E. 7<sup>th</sup> dist. 4

183.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Ind.  
 Ch. 4th  
 an Elm 30 in. diam. S 84 W. 22 lb. dist.  
 Land and Timber as before.

North On E. side of Sec. 34.

34.50 a Walnut 30 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Wh. Oak 30 in. dia. bears N 79 E. 14 lb. dist.  
 an Elm 10 " " " S 84 W. 23 " "  
 59.00 a Beech 20 " "  
 80.00 Set post Cor. to Sec. 13 & 24, fr. wh.  
 a Wh. Oak 30 in. dia. bears N 60 E. 22 lb.  
 an Ash 7 in. dia. bears S 19 W. 27 lb. dist.  
 Good Beech land.

North On E. side of Sec. 13.

10.00 Enter Swamp  
 17.00 a brook 10 lb. wide course S. W.  
 21.00 Left Swamp  
 23.60 a Beech 18 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Beech 10 in. dia. bears S 46 E. 21 lb. dist.  
 an Ash 14 " " " N 46 W. 20 " "  
 63.00 Enter small swamp  
 66.30 a Wh. Oak 30 in. diam.  
 80.00 Set post Cor. to Sec. 12 & 13, from which  
 a Sugar 14 in. dia. bears S 11 E. 15 lb. dist.  
 a Sugar 12 " " " N 14 E. 8 " "  
 Good Beech land.

North On E. side of Sec. 12.

30.50 a Sugar 10 in. dia.  
 40.00 Set gr. sec. post, from which  
 a Buckeye 5 in. diam. for post  
 a Wh. Oak 24 in. dia. bears S 15 E. 15 lb. dist.  
 an Elm 18 " " " N 70 W. 37 " "  
 70.30 a Sugar 15 " "  
 80.00 Set post Cor. to Sec. 1 & 12, from wh.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana. 184.

Ch. Lk. a Sugar 9 in. dia. bear S 32 E. 13 lks. dist.  
an Elm 12 " " " N 37 W - " "  
Land, Rich. Timber Sugar, Ash,  
Oak, Beech. &c.

---

North On E. side of sec. 1.

20.00 an Elm 18 in. diam.

40.00 set gr. sec. post, from which  
an Elm 6 in. dia. bear N 27 W 4 lks. dist.,  
& a Beech 36 " " " S 12 E. 22 " "

44.00 a break 50 lks. wide Course S. W.

49.00 a break 50 " " " S. E.

75.00 a Do. Course S. W.

80.00 set post Cor. to Towns. 16 & 17 North,  
Ranges 12 & 13 East, from which  
a Sugar 30 in. dia. bear N 33 W. 6 lks. dist.,  
a Beech 8 " " " S 26 W. 8 " "  
Land and Timber as before.  
Surveyed in 1810

By A. Holmes,  
Deputy Surveyor.

---

North Boundary.

West On S. side of sec. 36. T. 17 N. R. 12 E.

23.00 a Break 4 lks. wide Course South.

40.00 set gr. sec. post, from which  
a Sugar 20 in. dia. bear N 64 E. 13 lks. dist.,  
an Ash 12 " " " S 38 W. 26 " "

69.70 an Ash 12 " "

80.00 set post Cor. to Sec. 35 & 36. fr. wh.  
a H. Oak 30 in. dia. bear S 59 E. 20 lks. dist.,  
a Hickory 24 in. dia. " N 41 W. 25 " "

---

West On S. side of sec. 36. T. 17 N. R. 12 E.

40.00 a set gr. sec. post, from which  
a Sugar 8 in. dia. bear N 39 E. 14 lks. dist. &



185.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

ch. 1<sup>st</sup>. a Beech 5 in. dia. bears N 34 W. 13 ch. dist.  
and Rich Limb. Ath.

49.50 a Sugar 24 in. diam.

72.00 Intersect Boundary 29.50 from the  
29<sup>th</sup> mile post, set post, from wh.  
a Walnut 18 in. dia. bears N 34 W. 28 ch.  
an Ath 5 in. dia. bears S 52 E. 17 ch. dist.  
Surveyed in 1810

By Alexander Holmes  
Deputy Surveyor.

### West Boundary

Var. 6° 15' E.

North On E. side of sec. 36. T. 16 N. R. 11 E.

17.25 a Brook 4 ch. wide E. N. E.

37.00 a Creek 40 " "

40.00 Set gr. sec. post. from which  
a Sugar 8 in. dia. bears S 4 E. 15 ch. dist.  
an Elm 18 " " " S 80 W. 4 " "

74.32 a Beech 12 in. diam.

80.00 Set post Cor. to Secs. 25 & 36, fr. wh.  
a Beech 18 in. dia. bears N 15 W. 19 ch. dist.  
a Do. 18 " " " N 40 W. 23 " "  
Over good farming land. Limb.  
Beech Sugar Ath &c. Undergrowth  
Spice.

North On E. side of sec. 25. T. 16 N. R. 11 E.

37.12 a Sugar 24 in. diam.

40.00 Set gr. sec. post. from which  
a Sugar 12 in. dia. bears N 18 E. 32 ch. dist.  
a Do. 7 " " " S 30 E. 17 " "

64.50 a Beech 15 " "

80.00 Set post Cor. to Secs. 24 & 25, from which  
a Cherry 8 in. dia. bears N 16 E. 23 ch. dist. &  
a Beech 12 " " " N 37 W. 25 " "



T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

186.

Ch. H. Over level wet land. Timber Elm  
Richmond Beech &c.

---

North Cen E. side of sec. 24. T. 16 N. R. 11 E.

16.50 a Brook 15 ft. wide Course E.

27.40 a Creek 40 " " " E.

40.00 Set gr. sec. post, from which  
a Beech 14 in. diam. bears S 12 E. 17 ft. dist.

& an Ash 24 " " " N 59 W. 10 " "

44.95 a Beech 12 in. "

80.00 Set post Cor. to Sec. 13 & 24. from wh.

a Beech 20 in. diam. bears S 10 E. 29 ft. dist.

a Do. 24 " " " N 29 E. 35 " "

Over good farming land. Timber  
Beech Ash Sugar &c. Undergrowth  
Spice.

---

North Cen E. side of sec. 13. T. 16 N. R. 11 E.

30.55 a Beech 12 in. diam.

40.00 Set gr. sec. post, from which

a Beech 18 in. diam. bears S 31 W. 24 ft.

a Do. 8 " " " N 60 E. 3 ft. dist.

62.60 a Wh. Oak 40 in. diam.

80.00 Set post, Cor. to Sec. 12 & 13, from wh.

a Beech 26 in. diam. bears S 15 E. 45 ft. dist.

a Walnut 18 in. diam. " N 37 E. 16 " "

Over good farming land. Timber  
Beech, Sugar, Ash, Undergrowth of  
Spice.

---

North Cen E. side of sec. 12. T. 16 N. R. 11 E.

6.74 a Creek 20 ft. wide Course S. E.

23.11 a Beech 20 in. diam.

40.00 Set gr. sec. post, from which

a Beech 30 in. diam. bears N 64 W. 4 ft. dist.

a Do. 30 " " " S 57 E. 10 " "

187.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

52.74 an Ash 26 in. diam.

80.00 Set post Cor. to Sec. 1 & 12, from wh.  
a Hickory 8 in. dia. bears S 76 E. 14 Ch. dist.  
a Beech 5 " " " S 74 W. 5 " "  
Over land as before.

North Oak Side of Sec. 1. T. 16 N. R. 12 E.

13.50 a Beech 22 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears S 13 W. 27 Ch. dist.  
a Wh. Oak 18 " " " N 60 W. 5 " "

63.33 Intersected the line of Connection 562 Ch.  
W. of gr. sec. post. & set post. from which  
a Beech 20 in. dia. bears N 29 E. 18 Ch. dist. X  
a Do. 28 " " " S 74 E. 17 " "  
Over land as before.

July 15<sup>th</sup> 1819.

John M<sup>c</sup>. Donald  
Deputy Surveyor.

### Subdivision.

Beginning at the S. E. Corner of Town  
No. North, Range 12 East Thence on the  
Town Line West.

39.65 quarter section post.

79.33 section post Cor. of Sec. 35 & 36.

North Between Sec. 35 & 36.

16.50 a Beech 12 in. diam.

40.00 Set gr. sec. post. from which  
a Water Beech 10 in. dia. bears N 5 W. 6 Ch. dist.  
a Beech 9 in. dia. bears S 4 E. 29 " "

56.00 a stream 100 ft. wide course S. W.

71.50 a Beech 11 in. diam.

80.00 Set post Cor. of sec. 25, 26, 35 & 36.  
an Oak 15 in. dia. bears N 87 W. 22 Ch. dist.

188.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

Ch. St. a Sugar 16 in. dia. bears N 77 E, 22 Ch. dist.  
 Limb. Beech Ash, Elm Sugar &c.  
 Level Soil Rich.

East On Random betw<sup>n</sup> Sec. 25 & 36.

5.80 a stream 100 Ch. wide & Course S.  
 34.80 a stream 25 " " " S.W.  
 40.00 Set Comp. q. Sec. post.  
 79.30 Intersect Range Line 39 Ch. N of post.  
 Limb. Beech, Ash, Elm, Sugar &c.  
 Level Soil Rich.

West Correct line between Sec. 25 & 36.

39.65 Set q. Sec. post. from which  
 an Iron wood 3 in. dia. bears N 43 E, 3 Ch. dist.  
 an Iron wood 4 " " " N 2 E, 6 " "  
 79.30 Section Corner.

February 18<sup>th</sup> 1811.

North Between Sec. 25 & 26.

9.40 a stream 60 Ch. wide & Course S. E  
 Current rapid.  
 13.25 a Sugar 14 in. diam.  
 40.00 Set q. Sec. post. from which  
 a Buckeye 18 in. dia. bears S 62 E, 23 Ch. dist.  
 a Hawthorn 27 " " " N 84 W, 7 " "  
 57.40 a Sugar 10 in. dia.  
 80.00 Set post bear. to Sec. 23, 24, 25 & 26.  
 a Buckeye 9 in. dia. bears N 80 E, 16 Ch. dist.  
 a Hawthorn 6 " " " N 59 W, 6 " "  
 Limb. Beech, Ash, Elm Sugar &c.  
 Land level soil rich.

East On Random betw<sup>n</sup> Sec. 24 & 25.

40.00 Set q. Sec. post. (temporary.)  
 60.94 a stream 25 Ch. wide & Course South.

189.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. 2<sup>nd</sup>

610 4k?

79.24 Intersect Range line 53 k. N of post.  
 Timber Beech Ash Walnut Elm.  
 &c. Level soil rich.

West Correct line between sections 24 & 25.

39.62 Set gr. sec. post, from which  
 an Ironwood 3 in. dia. bears N 25 W, 21 k.  
 a Beech 12 in. diam. " S 25 E. 10 k. dist.

79.24 Section corner.

North Between Sec. 23 & 24.

12.06 a stream 100 k. wide course W.

21.14 an Elm 16 in. diam.

32.00 a stream 90 k. wide course East.

40.00 Set gr. sec. post from which  
 an Oak 40 in. dia. bears S 25 W, 48 k. dist.  
 an Oak 10 " " " N 46 E, 24 " "

59.60 a stream 100 k. wide course S. W.

65.50 an Oak 30 in. diam.

80.00 Set post cor. to Sec. 13, 14, 23 & 24, fr. W.  
 a Walnut 12 in. dia. bears S 23 E, 9 k. dist.  
 an Elm 20 " " " N 41 W, 19 " "  
 Timber, Beech, Ash, Oak, Elm &c.  
 Land level soil rich.

East On Randon between Sec. 13 & 24.

9.66 a stream 100 k. wide S 36 W.

40.00 Set gr. sec. temp. post.

70.12 a stream 20 k. wide course S. W.

79.37 Intersect Range line 78 k. North  
 of post. Timber Beech Ash, Oak  
 Elm Sugar, Oak, Hickory.  
 Land, level soil rich.

West Correct line between Sec. 13 & 24.

39.68 set gr. sec. post, from which



T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana. 190.

Ch. sk. an Elm 18 in. dia. bears N 63 E. 23 ch. dist. &  
 a Beech 14 " " " S 24 W. 23 " "  
 19.34 Sec. Cor.

North Between sections 13 & 14.

14.21 a Walnut 18 in. diam.

40.00 Set gr. sec. post. from which  
 a Hickory 16 in. dia. bears S 83 E. 9 ch. dist. &  
 a Beech 20 " " " S 34 W. 21 " "

55.25 a Cherry 14 " "

80.00 Set post cor. to sec. 11, 12, 13 & 14, for wh.  
 a Cherry 8 in. dia. bears N 52 E. 7 ch. dist. &  
 a Hawthorn 10 " " " S 52 W. 5 ch. dist.  
 Limb. Beech, Ash Walnut Cherry  
 Sugar Elm &c. Land, level soil  
 Rich and deep.

February 19<sup>th</sup> 1841.

East On Random between Sections 12 & 13.

40.00 Set gr. sec. post. (Temporary)

43.80 a stream 60 ch. wide Course S. 20 E.

70.25 a Spring Branch Course S. W.

80.00 Intersect Range line 96 North of  
 post. level good forming land  
 Limb. Beech Ash Elm Sugar oak  
 Hickory &c.

West Correct line Between Sect. 12 & 13.

40.00 Set gr. sec. post. from which  
 a Beech 12 in. diam. bears N 6 E. 26 ch. dist.  
 a Beech 6 " " " S 24 W. 27 " "

80.00 Section Corner.

North Between section 11 & 12.

28.15 an Oak 10 in. diam.

40.00 Set gr. sec. post. from which



191.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana

Ch. W. a Sugar 14 in. dia. bears N 82 E. 7 ch. dist. &  
 a Sugar 3 " " " S 84 W. 16 " "  
 47. 12 a Hickory 20 in. diam.  
 80.00 Set post lev. to Sec. 1, 2, 11 & 12,  
 a Hickory 24 in. dia. bears N 71 E. 11 ch. dist.  
 & an Oak 20 " " " S 48 W. 27 " "  
 Timb. Beech Ash, Oak, Hickory  
 Lynn Sugar &c.  
 Level good farming land.

---

East On Random between Sec. 1 & 12.  
 40.00 Set temp. y. gr. sec. post,  
 55.25 a stream 70 ch wide Course S.  
 80.00 Intersect Range Line 127 ch. N. of post.  
 Timb. Beech Ash, Oak Sugar. &c.  
 Level good farming land.

---

West Correct line betw<sup>y</sup> Sec. 1 & 12.  
 40.00 Set gr. sec. post, from which  
 a Sugar 14 in. dia. bears N 64 E. 19 ch. dist.  
 a W. Oak 20 " " " S 6 E. 14 " "  
 80.00 Section corner.

---

North Between Section 1 & 2. Random Line  
 40.00 Set temp. y. gr. sec. post.  
 77.65 Intersect N. Boundary 27 ch. W. of post.  
 Timb. Beech Oak Sugar Hickory &c.  
 Level good farming land.

---

South Between Sec. 1 & 2. Correct line.  
 37.65 set gr. sec. post, from which  
 a Sugar 12 in. dia. bears S 29 E. 12 ch. dist.  
 a Sugar 12 " " " S 44 W. 13 " "  
 77.65 section corner.

February 20<sup>th</sup> 1811.

192

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

North Between sections 34 & 35.

12.82 a Hickory 10 in. diam.

40.00 set gr. sec. post, from which  
a Buckeye 12 in. diam. bears S 36 W. 11 Ch. dist. }  
a Beech 4 " " " N 35 E. 14 " " }

51.75 a stream 45 lbs. wide Course East  
and rapid current.

70.77 a Sugar 6 in. diam.

80.00 set post cor. to sec. 26, 27, 34 & 35, fr. wh.  
a Hawthorn 9 in. diam. bears N 9 W. 22 Ch. }  
a Buckeye 9 " " " S 20 E. 26 " dist }  
Timber Beech Ash Elm Buckeye  
Oak and Sugar. Land level soil rich

---

East on Random betw<sup>n</sup> sec. 26 & 35.

4.25 a Spring Branch Course South.

11.60 a stream 156 lbs. wide Course S. E.

29.00 Stream and line intersect

40.00 Set Temp. Gr. sec. post.

79.64 Intersect N & S line 6 lbs. North of  
post. Timb. Beech Ash Elm Sugar  
Land level soil rich and deep.

---

West Corner line betw<sup>n</sup> sec. 26 & 35.

39.82 set gr. sec. post, from which  
a Sugar 5 in. dia. bears N 88 E. 11 Ch. dist. }  
a Buckeye 6 in. " " N 63 W. 7 " " }

79.64 Section Corner.

---

North Between sections 26 & 27.

20.00 a Buckeye 10 in. diam.

31.70 a stream 158 lbs. wide Course S. E.

39.10 a Do. 100 " " " S. W. rapid

40.00 set gr. sec. post, from which (in the  
stream)

an Elm 20 in. dia. bears N 41 W. 42 Ch. dist. }

193

S. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. a

a Sycamore 14 in. dia. bears N 32 E. 88<sup>th</sup> 46.25  
 a stream 75<sup>th</sup> wide course S.E.  
 53.10 a Beech 14 in. diam.  
 80.00 Set post Cor. to Secs 22, 23, 26 & 27. from which  
 a Blue Ash 3 in. dia. bears N 36 E. 2<sup>th</sup> dist.  
 an Elm 9 in. dia. bears S 44 E. 3 " "  
 Timber: Beech Ash, Elm Sugar &c.  
 Level good farming land.

East On Random between Secs 23 & 26.  
 40.00 Set temp. q. sec. post.  
 68.75 a stream 125<sup>th</sup> wide course S.W.  
 79.70 Intersect N & W line 9<sup>th</sup> N. of post.  
 Land some uneven soil good  
 Timber: Beech Ash Elm Sugar &c.

West Correct line between Secs 23 & 26.  
 39.85 Set q. sec. post, from which  
 a Sugar 12 in. dia. bears N 71 W. 14<sup>th</sup> dist.  
 a Beech 4 " " " S 37 E. 18 " "  
 79.70 Section corner.

February 21<sup>st</sup> 1811.

West Between Secs 22 & 27.  
 9.73 an Ash 13 in. diam.  
 31.90 a stream 100<sup>th</sup> wide course S.  
 40.00 Set q. sec. post. from which  
 a Hackberry 30 in. diam. bears N 74 W. 3<sup>th</sup> dist.  
 a Do. 24 in. dia. bears S 74 E. 30<sup>th</sup> dist.  
 62.70 Intersect Boundary line & set post  
 from which  
 a Buckeye 15 in. dia. bears N 85 E. 22<sup>th</sup> &  
 a Do. 5 " " " S 85 W. 6<sup>th</sup> dist.  
 Level good farming land.  
 Timber: Beech Ash Elm Sugar.

194

T. H. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>co</sup>

North Between sections 22 & 23.

14.75 a Beech 16 in. diam.

40.00 Set q. sec. post. from which  
a Beech 12 in. dia. bears S 52 E. 8 lb. dist.  
a Sugar 5 " " " S 52 W. 11 " "

55.30 a Beech 12 in. "

80.00 Set post cor. to sec. 14, 15, 22 & 23.

an Elm 14 in. dia. bears N 14 W. 22 lb. dist.

a Beech 20 in. dia. " S 26 E. 8 " "

Timb. Beech Ash, Elm Sugar &c.  
Undergrowth spice.

Some uneven good farming land.

---

East On Meander bet<sup>wn</sup> sec. 14 & 23.

40.00 set temp. y. q. sec. post.

79.85 Intersect N & S. line 4 lb. S. of post.

Timb. Beech, Ash, Oak, Elm, Sugar  
Level good farming land.

---

West Corner line between Sec. 14 & 23.

39.92 Set q. sec. post. from which

a Beech 24 in. dia. bears S 26 E. 30 lb.

& a Do. 4 " " " N 2 W. 7 " dist.

79.85 Section corner.

---

West Between Section 15 & 22.

17.64 a Beech 18 in. diam.

36.00 a stream 60 lb. wide course S. W.

40.00 Set q. sec. post. from which

an Ash 10 in. dia. bears N 51 W. 13 lb. dist. &

an Ironwood 5 in. " " S 6 E. 24 " "

43.50 Intersect Boundary line and set a  
post. from which

a Beech 16 in. dia. bears N 57 E. 21 lb. dist. &

a Do. 24 " " " S 5 E. 34 " "

Timb. Beech Ash Elm Oak and



S. 16 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind. Co.

Ch. Sh. Sugar &c. Level good farming land.

North Between Secs. 14 & 15.

4.20 a Sugar 9 in. diam.

40.00 Set gr. sec. post. from which  
a Hickory 3 in. dia. bears S 74 W. 3 Ch. dist.  
a Sugar 6 " " " N 20 W. 20 " "

67.40 a Do. 10 " "

80.00 Set post. cor. to Secs. 10, 11, 14 & 15, fr. wh.  
a Beech 27 in. dia. bears S 85 W. 15 Ch. dist.  
a Do. 15 " " " N 5 E. 13 " "

Timb. Beech Ash Oak Sugar &c.

Uneven good farming land.

February 23<sup>rd</sup> 1811.

East On Random betw<sup>n</sup> Secs. 11 & 14.

40.00 Set temp<sup>y</sup> gr. sec. post.

79.92 Intersect N & S. line 7 Ch. N. of post.

Timb. Beech Oak Elm, Walnut

Ash Sugar &c.

Level good farming land.

West Correct line betw<sup>n</sup> Secs. 11 & 14.

39.96 Set gr. sec. post. from which

a Beech 9 in. dia. bears S 70 E. 4 Ch. dist.

a Beech 30 " " " N 70 W. 36 " "

79.92 Section corner.

North Between Sections 10 & 11.

27.40 a Sugar 14 in. diam.

40.00 Set gr. sec. post. from which

a Sugar 12 in. dia. bears N 10 W. 18 Ch. dist.

an Oak 6 " " " S 18 W. 6 " "

59.10 a Beech 18 in. diam.

80.00 Set post cor. to Secs. 2, 3, 10 & 11, fr. wh.

a Willow 5 in dia. bears S 49 W. 14 Ch. dist.



196

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana

ch. 40. in Elm 3 in. dia. bears N 11 W 11 lb. dist.  
Timb. Beech, Oak Sugar &c. &c.  
level good farming land.

---

West Between sections 10 & 15.

8.72 a Sugar 17 in. diam.

25.50 Intersect Boundary line & set post  
from which

a Buckeye 14 in. dia. bears S 62 E. 45 lb.

& a Boxelder 16 in. " " N 51 E. 50 lb. dist.

Timber, Beech Ash Sugar &c.

level good farming land.

---

East Between sec. 2 & 11. Random

40.00 set temp. g. p. sec. post.

80.00 Intersect N & E. line at post.

Timb. Beech, Oak, Ash Sugar &c.

Level good farming land.

---

West Correct line betw. sec. 2 & 11.

40.00 set g. p. sec. post from which

a Maple 7 in. dia. bears N 54 E. 10 lb. dist.

an Oak 18 in. dia. " N 63 W. 14 " "

80.00 Section corner.

---

West Between sections 3 & 10.

7.12 Intersect Boundary line & set a post  
at intersection from which

a Water Beech 4 in. dia. bears S 15 E. 16 lb. dist.

an Oak 6 in. dia. bears N 40 W. 19 lb. dist.

Timb. Beech Ash Oak Elm &c.

Land level soil Rich

---

North Between sections 3 & 2.

9.50 a Spring Branch Course N. W.

13.45 an Oak 10 in. diam.

197 S. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

13.45 an Oak 10 in. diam.

33.00 Intersect Boundary line & set a post from which  
a Hawthorn 9 in. dia. bears N 8 E. 7 1/2 lks. dist.  
& a Hickory 6 " " " S 8 W. 21 " "  
Timb. Beech Ash Elm Sugar &c.  
Level good farming land.

---

North Between sections 23 & 34.

17.50 a Sugar 9 in. diam.

40.00 Set q. sec. post, from which  
an Elm 12 in. dia. bears N 55 E. 5 lks. dist. &  
a Sugar 9 " " " S 55 W. 32 " "

44.75 a stream 50 lks. wide course N. E.

51.18 a Sugar 14 in. diam.

77.65 a Spring Branch Course S. W.

80.00 Set post cor. to Sec. 27, 28, 33 & 34, fr. wh.  
a Hackberry 27 in. dia. bears S 71 W. 3 lks. dist.  
& a Beech 24 " " " S 62 E. 44 " "  
Timber, Beech, Hackberry Elm Sugar &c.  
Level soil Rich.

February 24<sup>th</sup> 1866

---

East On Meander between Sec. 27 & 34.

.33 a Spring Branch Course South.

40.00 Set temp. q. sec. post.

77.90 Intersect N & S. line at post.

Timb. Oak Ash Beech Sugar &c  
Land, level soil good.

---

West Correct line between Sec. 27 & 34.

39.95 Set q. sec. post, from which

a Beech 30 in. dia. bears S 46 E. 18 lks. dist. &

a Beech 14 " " " West 20 " "

77.90 Section Corner.

---

198

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

West Between sec. 28 & 33.

.22 To the Boundary line.

---

North Between sections 27 & 28.

.05 a Spring Branch Course S.E.

1.00 Intersect Boundary line.

February 25<sup>th</sup> 1811.

Surveyed by

John G. Macan.

Deputy Surveyor.

---

June 1<sup>st</sup> 1820.

Var. 6° 15' E.

North Between sec. 2 & 3. from Boundary  
29.10 of line originally surveyed.

40.00 Set q. sec. post. from which  
a Hickory 4 in. dia. bears N.W. 12<sup>th</sup> dist.  
a Hickory 6 " " " N.E. 10<sup>th</sup> dist.

57.90 an Elm 34 in. diam.

67.50 Enter Cornfield

74.17 Intersect N. Boundary in cornfield 15.65

N. of Old Boundary and set post cor. to  
sec. 2 & 3, from which

a dead Wh. Walnut 18 in. dia. bears S. 40 E. 35<sup>th</sup> dist.

a dead Blackberry 36 in. dia. bears S. 14 W. 54<sup>th</sup> dist.

Level first and second rate land. —

Timb. Walnut, Blackberry Buckeye Elm  
&c. Undergrowth Spice Hazel &c.

---

North Between sec. 27 & 28.

2.87 - of Original Line.

21.74 a Beech 17 in. diam.

40.00 Set q. sec. post. from which  
a Beech 28 in. dia. bears S. 2 W. 29<sup>th</sup> dist.  
a Beech 13 " " " N. 27 E. 8 " "

46.50 Cut the edge of a small pond.

54.34 a stream 18<sup>th</sup> wide Course E. S.E.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

55.08 a Beech 20 in. diam.

80.00 Set post cor. to Secs 21, 22, 27 & 28.  
 a Beech 22 in. diam. bears N 85<sup>W</sup> 23<sup>W</sup> l<sup>W</sup> dist.  
 & a Wh. Oak 32 in. " " S 46<sup>E</sup> 52<sup>E</sup> " "  
 Land, level part Broken 2<sup>nd</sup> rate.  
 Timber, Beech Sugar Ash Wh. Oak.  
 &c. Undergrowth Spice Dogwood  
 and ash &c.

East An. Random between Secs 22 &amp; 27.

19.11 Intersect Old Boundary 36 l<sup>W</sup>. N. of post.  
 & Colling 2<sup>nd</sup> rate land. Timber -  
 Beech, Sugar Poplar &c. Undergrowth.  
 Spice &c.

West Correct line between Secs 22 &amp; 27.

9.86 a Sugar 22 in. diam.  
 19.08 Section corner.

North Between Sections 21 &amp; 22.

21.56 a Branch 6 l<sup>W</sup>. wide course N. E.

24.07 a Beech 22 in. diam.

40.00 Set gr. sec. post, from which  
 an Ironwood 4 in. dia. bears N 57<sup>W</sup> 6 l<sup>W</sup>. dist.  
 & an Ironwood 7 " " " N 57<sup>E</sup> 14 l<sup>W</sup>. dist.

56.40 a Branch 4 l<sup>W</sup>. wide course N. E.

61.23 a Grey Ash 34 in. diam.

80.00 Set post cor. to Secs 15, 16, 21 & 22, fr. wh.  
 a Hornbeam 6 in. dia. bears N 63<sup>W</sup> 13 l<sup>W</sup>. dist.  
 a Buckeye 15 " " " S 77<sup>E</sup> 15 " "  
 Land rolling 2<sup>nd</sup> rate. Timb. Beech.  
 Sugar Ash, Poplar &c. Undergrowth  
 Spice, Buckeye Ash &c.

East An. Random betw<sup>n</sup> Secs 22 & 15.29.20 Cut the S. Bend of a stream 50 l<sup>W</sup>. wide



T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

33.00 Left stream course N.E.  
 35.28 The same stream " S. E.  
 38.10 Intersect Old Boundary line 47 lks  
 N. of post.  
 Land, level 2<sup>nd</sup> rate. Sugar  
 Ash Beech &c. Elm Buckeye &c.  
 Undergrowth Spice Ash &c.

West corner line between Secs 15 & 22.  
 17.58 an Elm 24 in. diam.  
 38.08 Sec. cor. June 1<sup>st</sup> 1820.

North Between Section 15 & 16.

10.45 a stream 55 lks. wide course S. E.  
 18.62 a Blue Ash 22 in. diam.  
 40.00 Set gp. Sec. post. from which  
 a Beech 18 in. dia. bears S 61 W 32 lks. dist.  
 a Beech 18 " " " S 79 E. 26 " "  
 54.35 a Do. 22 " "  
 80.00 Set post cor. to Secs 9, 10, 15 & 16, from wh.  
 a Beech 17 in. dia. bears N 43 E. 6 lks. dist.  
 a Do. 14 " " " S 60 W 45 " "  
 Level sec<sup>2</sup> rate land. Timb. Beech  
 Sugar, Ash Elm Walnut &c. Under-  
 growth, Spice P. Ash Elm &c.

East On Random between Secs 10 & 15.

40.00 Set temp. gp. Sec. post.  
 41.30 a Muddy Branch 12 lks wide C. S.  
 51.00 a Pond 50 lks. wide course S. E.  
 58.50 Intersect E. Boundary 38 lks. N. of post.  
 on Old Indian Boundary - in a stream 85 lks.  
 wide course South. Land, level 2<sup>nd</sup>  
 rate. Timb. Beech, Sugar Cherry Ash  
 Elm &c. Undergrowth. Spice Ash Hickory &c.



T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>c</sup>

West connect line between Sec. 10 & 15.  
 25.85 Line East of Old Boundary.  
 39.08 an Elm 20 in. diam.  
 42.18 Set gr. sec. post. from which  
 an Ash 22 in. dia. bears S 61 E. 52<sup>nd</sup> dist. &  
 a Buckeye 8 in. " " N 36 W. 45 " "  
 62.30 a Beech 6 in. diam.  
 84.35 Section Corner.

North Between Sec. 9 & 10.  
 18.80 a Grey Ash 44 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Sugar 16 in. dia. bears S 61 W. 7<sup>th</sup> dist. &  
 a B. Elm 27 " " " N 10 E. 19 " "  
 51.44 a Branch 4<sup>th</sup> wide course S. E.  
 60.15 a Sugar 16 in. diam.  
 67.30 a Branch 6<sup>th</sup> wide course S. E.  
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which  
 a Cherry Branch 3 in. dia. brs. N 34 W. 14<sup>th</sup> dist.  
 & a Sugar 8 in. dia. bears S 19 E. 42 " "  
 Land, part level part rolling 2<sup>nd</sup> rate  
 Beech, Sugar Ash Elm &c. Undergrowth  
 Spice Ash Elmbeam Elm Hickory  
 Buckeye &c.

East on Wagon Road between Sec. 3 & 10.  
 40.00 Set temp. gr. sec. post.  
 58.00 Enter River Bottom.  
 67.90 a stream 85<sup>th</sup> wide course S. S. E.  
 72.60 Cut S. Bend of same stream.  
 76.85 Intersect Old Boundary 23<sup>th</sup> N. of  
 post. part level part rolling 2<sup>nd</sup>  
 rate land. Limb. Beech, Sugar -  
 Walnut &c. Undergrowth Spice Ash  
 Buckeye Elmbeam.

202

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

West Correct line between Secs 3 & 10.  
 7.15 of Original line  
 25.17 a Walnut 20 in. diam.  
 42.00 Set gr. sec. post from which  
 a Buckeye 4 in. dia. bears N 23 E. 13 lb. dist. &  
 a Wh. Oak 5 " " " S 52 W. 28 " "  
 55.00 a Beech 14 in. diam.  
 84.00 Section Corner.

---

North Between Sections 3 & 4.  
 21.58 a Grey Ash 16 in. diam.  
 30.20 a Spring Branch 4 lb. wide C. S. E. &  
 Enter Windfall.  
 40.00 Set gr. sec. post, from which  
 an Elm 4 in. dia. bears N 26 W. 7 lb. dist. &  
 a Cherry 4 " " " S 43 E. 11 " "  
 52.72 a Beech 22 in. diam.  
 54.00 Left Windfall  
 72.20 Intersect N. Boundary 31.85 W. of post.  
 An Correction line & set post Cor. of  
 Secs 32 & 33. N. 16. 12 E. & 17. & set post Cor. to  
 Secs 3 & 4 from which  
 a Sugar 5 in. dia. bears S 63 E. 10 lb. dist. &  
 a Buckeye 4 " " " S 47 W. 14 " "  
 Land, part level part broken 2<sup>nd</sup> rate.  
 Tim. Beech Sugar Ash Elm & Wh. & Bl.  
 Walnut &c. Undergrowth Spice  
 Buckeye Sugar Ash &c.  
 June 2<sup>nd</sup> 1820.

---

North Between Sections 32 & 33.  
 17.25 a Spring Branch Course S. E.  
 18.46 a Sugar 14 in. diam.  
 40.00 Set gr. sec. post from which  
 a Beech 5 in. dia. bears S 28 E. 9 lb. dist. &  
 a Do. 22 " " " N 84 W. 26 " "

S. 16 N. T. 12 E. 2<sup>nd</sup> Mer. Indiana.

45.40 a Spring Branch Course S.E.  
 55.75 a Do. " " S.E.  
 59.08 a Beech 30 in. diam.  
 80.00 Set post Cor. to Secs 28, 29, 32 & 33, from  
 a Beech 10 in. dia. bears S 61 E. 8 Mk. dist. &  
 a Horn beam 5 in. dia. by. N 67 W. 22 Mk. dist.  
 Land, part level part Broken and  
 2<sup>nd</sup> rate. Timber, Beech Sugar -  
 Ash Poplar &c. Undergrowth Spice  
 in abundance, Ash &c.

East On Random between Secs 28 & 33.

30.17 a Spring Branch 6 Mk. wide Course S.E.  
 Cropped the same several times.  
 33.50 Left the same C. S.E.  
 40.00 Set temp. q. sec. post.  
 63.40 a Branch 10 Mk. wide Course E. S.E.  
 64.00 The same N.E. by E.  
 80.68 Intersect N & S line 18 Mk. N. of post.  
 on the same stream last noted -  
 Course S.E.  
 Land, level 2<sup>nd</sup> rate. Timb. Beech,  
 Ash Sugar Elm &c. Und. gth Spice  
 Ash Horn beam &c.

West Correct line between Secs 28 & 33.

.40 of original line  
 23.25 a Beech 22 in. diam.  
 40.34 Set q. sec. post. from which  
 a Beech 8 in. dia. bears S 54 W. 12 Mk. dist.  
 & a Do. 24 " " " N 32 E. 15 " "  
 60.14 a Beech 20 " "  
 80.68 Section Corner.

North Between Secs 28 & 29.

11.50 a Spring Course S.E.

204

T. W. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

- 18.60 a Beech 28 in. diam.  
 25.00 a Branch 8 ft. wide Course S.E.  
 40.00 Set gr. sec. post. from which  
     a Sugar 20 in. dia. bears S 88 E, 25 ft. dist. &  
     a Dogwood 5 " " " N 41 W, 34 " "  
 45.00 a Spring Branch Course N.E.  
 54.05 an Ash 17 in. diam.  
 80.00 Set post cor. to sec. 20, 21, 28 & 29.  
     a Sugar 8 in. dia. bears N 23 E, 17 ft. dist. &  
     a Beech 11 " " " N 85 W, 8 " "  
 Land part Broken Part level &  
 part 2<sup>nd</sup> rate. Timb. Beech Ash.  
 Sugar & Poplar. Undergrowth of  
 Spice Ash Ironwood Hickory &c.

- East On Meander between sec. 21 & 28.  
 21.00 a Muddy Branch Course N.E.  
 23.50 The same Brook Course S.E.  
 24.60 The same Brook " N.E.  
 40.00 Set Temp. gr. sec. post.  
 46.60 a Stream 18 ft. wide Course S.E.  
 80.18 Intersect E. Boundary 43 ft. N. of the  
     post. Land, level part broken 2<sup>nd</sup>  
     rate. Timb. Beech, Ash, Sugar  
     Poplar Wh. Oak &c. Undergrowth  
     Spice Ash Ironwood &c.

- West Correct line betw<sup>n</sup> sec. 21 & 28.  
 20.65 a Beech 24 in. diam.  
 40.09 Set gr. sec. post. from which  
     a Sugar 5 in. dia. bears S 25 W, 10 ft. dist. &  
     a Beech 14 " " " N 28 W, 7 " "  
 58.47 a Black Ash 1 1/2 in. diam.  
 80.18 Sec. cor.

North Between Sections 20 & 21.



S. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

- 12.60 a Large Spring course N. E.  
 15.40 The same Spring Branch S. N. W.  
 18.58 The same " " crs. N. N. E.  
 20.35 a Brook 8<sup>th</sup> wide course N. E.  
 22.45 a Beech 16 in. dia.  
 40.00 Set q. sec. post, from which  
 a Sugar 40 in. dia. bears N 54 W. 18<sup>th</sup> dist. and  
 a Beech 14 " " N 88 E. 27 " "  
 62.00 a Sugar 36 in. diam.  
 73.44 a Stream 10<sup>th</sup> wide course S. E.  
 80.00 Set post Cor. to Secs 16, 17, 20 & 21, from which  
 a Beech 5 in. dia. bears N 25 W. 27<sup>th</sup> dist. and  
 a Beech 6 " " S 43 E. 40<sup>th</sup> "  
 Land, level 2<sup>nd</sup> rate. Timber, Beech Sugar  
 Ash Poplar &c Undergrowth, Spice Ash  
 &c. & Hornbeam.

- 
- East On Random between Secs 16 & 21.  
 40.00 Set temp. q. sec. post.  
 79.95 Intersect N & S. line 57<sup>th</sup> N. of post.  
 Land, level part broken 2<sup>nd</sup> rate.  
 Timbr. Beech Ash, Elm, Sugar &c. Under-  
 growth Spice Ash Ironwood &c.  
 June 3<sup>rd</sup> 1820.

- 
- West Correct line between Sections 16 & 21.  
 20.08 a Beech 10 in. diam.  
 39.97 Set q. sec. post, from which  
 a Sugar 8 in. dia. bears S 81 W. 10<sup>th</sup> dist. &  
 a Beech 18 " " N 76 E. 14 " "  
 56.39 a Beech 22 in. diam.  
 79.95 Section Corner.

- 
- North Between Sections 16 & 17.  
 23.55 a Beech 16 in. diam.  
 40.00 Set q. sec. post, from which

- a Beech 16 in. dia. bears N 46 E, 28 lbs. dist. X  
 a Do. 17 " " " N 87 W, 29 " "  
 52.00 Enter Windfall.  
 62.60 a Main beam 4 in. diam.  
 64.75 a stream 25 lbs. wide course S. S. E.  
 75.50 Left Windfall  
 80.00 Set post cor. to Sec. 8, 9, 16 & 17, from wh.  
 a Buckeye Bush 4 in. dia. bears N 19 W, 14 lbs. dist.  
 X a Do. 4 " " " S 9 E, 18 lbs. dist.)  
 Land, part level, part Broken 2<sup>nd</sup> rate  
 Land Beech, Ash, Sugar, Poplar Buckeye  
 Undergrowth Spice, P. Ash, Elm Cherry  
 Buckeye &c.

---

East On Random betw<sup>en</sup> Sec. 9 & 16.

- 15.00 Enter Windfall  
 25.75 a stream 35 lbs. wide course S. S. E.  
 40.00 Set temp<sup>y</sup>. gr. sec. post.  
 43.20 a Spring Branch course South.  
 68.00 Left Windfall  
 79.88 Intersect East Boundary 46 lbs. N. of post.  
 Land, part level, part Broken. Limb:  
 Beech Ash, Elm Buckeye &c. Undergrowth,  
 Spice Brickley Ash Dogwood Grapevines  
 Nine Bark &c.

---

West Correct line between Sec. 9 & 16.

- 18.51 a Beech 14 in. diam.  
 39.94 Set gr. Sec. post. from which  
 a Cherry Bush 3 in. dia. bears N 19 W, 23 lbs. dist. X  
 a Dogwood Bush 2 " " " S 19 E, 7 " "  
 56.88 a Buckeye 8 in. diam.  
 79.88 Section Corner.

---

North Between Sections 8 & 9.

- 25.45 a Beech 22 in. diam.

S. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

- 32.00 a stream 35 lks. wide course S. S. E.  
 37.50 The same stream course S. S. W.  
 40.00 Set q. sec. post. from which  
 a Beech 18 in. dia. bears N 87 W. 23 lks. dist. &  
 a Sugar 16 in. dia. bears N 16 E. 15 " "  
 49.61 To stream course E. S. E.  
 61.08 On Cornwood 7 in. diam.  
 80.00 Set post cor. to Sec. 4, 5 & 8 & 9. wh.  
 a Beech 18 in. dia. bears N 67 W. 25 lks. dist. &  
 a Sugar 28 " " " N 19 E. 28 " "  
 Land, level 1<sup>st</sup> rate land. Timb.  
 Beech Sugar Ash Buckeye and  
 Hackberry Walnut &c. Undergrowth of  
 Spice Ash White thorn &c.

## East On Meander between Sec. 4 &amp; 9.

- 40.00 Set temp. q. sec. post.  
 79.85 Intersect E. boundary 12 lks. S. of post.  
 Land, level 2<sup>nd</sup> rate land. Timb.  
 Beech Sugar Poplar Ash Elm and  
 Walnut &c. Undergrowth Spice Ash  
 Elm &c. &c.

## West Correct line between Sec. 4 &amp; 9.

- 18.51 a Beech 14 in. diam.  
 39.82 Set q. sec. post. from which  
 a Sugar 10 in. dia. bears N 36 W. 10 lks. dist. &  
 a Do. 16 " " " N 5 W. 18 lks. dist.  
 59.45 a Buckeye 16 in. diam.  
 79.85 Section corner.

## North Between Sec. 4 &amp; 5.

- 23.14 a N. Elm 7 in. diam.  
 40.00 Set q. sec. post. from which  
 a Sugar 12 in. dia. bears N 48 W. 13 lks. dist. &  
 a Sugar 14 " " " N 32 E. 42 " "

208

T. 16 N. Sec. 12 E. 2<sup>nd</sup> Mer. Indiana.

57.65 a Beech 20 in. diam.  
71.78 Intersect N. Boundary no corresponding  
corner found. - on correction line  
& set post cor. to Sec. 14 & 5. fr. wh.  
a Blue Ash 3 in. diam. bear 86° E. 11 N. dist.  
a Cherry Bush 2 in. dia. " 73° W. 14 " "  
Land, part level part Broken 2<sup>nd</sup>  
rate. Timb. Ash, Sugar Beech  
Cherry, Poplar &c. Undergrowth of  
Spice Ash Hickory &c.  
June 5<sup>th</sup> 1820.

---

North Between Sections 31 & 32.

21.12 a Sugar 11 in. diam.  
32.15 a Stream 50 ft. wide Course S.E.  
40.00 Set q. sec. post, from which  
a Beech 10 in. dia. bear N 32° W. 14 ft. dist. )  
a Beech 20 " " " S 22° E. 17 " "  
58.35 a Sugar 28 in. diam.  
80.00 Set post cor. to Sec. 29, 30, 31, & 32, fr. wh.  
a Beech 6 in. dia. bear N 46° E. 29 ft. dist.  
& a Sugar 18 " " " S 51° W. 31 " "  
Rolling 2<sup>nd</sup> rate land. Timb.  
Beech, Sugar, Ash Elm Buckeye &c.  
Undergrowth of Spice &c.

---

East Or. Random between Sections 29 & 32.

40.00 Set temp. q. sec. post.  
80.28 Intersect E. boundary 87 ft. E. of post.  
Land, level 2<sup>nd</sup> rate, Timber Beech,  
Ash, Sugar, Poplar, Elm &c. Under-  
growth Spice &c. &c.

---

West Correct line between Sections 29 & 32.

23.00 a Sugar 24 in. diam.  
40.14 Set q. sec. post, from which



S. 16 N. T. 12 E. 2<sup>nd</sup> Mer. Ind. a  
 2<sup>nd</sup> 1<sup>st</sup> 1<sup>st</sup>

a Beech 22 in. diam. (beag S 11 E. 10 lb. dist.)  
 a Hornbeam 5 in. " " N 17 W. 10 " "  
 58.41 an Elm 16 in. dia.  
 80.28 Sec. Corner.

West Between Sec. 30 & 31.

16.23 a stream 40 lb. wide course S.E.

23.64 a Beech 18 in. diam.

40.00 Set gr. sec. post. from which  
 an Elm 16 in. dia. beag S 9 W. 4 lb. dist.  
 a Sugar 15 " " " N 26 W. 24 " "

58.10 a Beech 18 in. diam.

81.50 a small Pond

Offset 2.00 North.

86.50 Fell into line and  
 Left Pond.

95.84 Intersect W. Boundary 18 lb. S. of post. &  
 set post cor. to Sec. 30 & 31, from wh.  
 a Beech 12 in. dia. beag N 68 E. 24 lb. dist. &  
 a Beech 20 " " " S 22 W. 02 " "  
 Land part level part Broken. Limb:  
 Sugar Beech Ash Poplar Walnut &c.  
 Undergrowth Spice &c.

North Between Sec. 29 & 30.

18.20 a Spring Branch course N.W.

21.30 a Beech 16 in. diam.

40.00 Set gr. sec. post. from which  
 a Beech 17 in. dia. beag N 37 W. 11 lb. dist.  
 a Beech 6 " " " S 47 E. 6 lb. dist.

65.05 a Sugar 28 in. diam.

80.00 Set post cor. to Sec. 19, 20, 29 & 30, from wh.  
 a Hornbeam 5 in. dia. beag S 51 E. 10 lb. dist. &  
 a Do. 5 " " " S 87 W. 15 " "  
 Land, level 2<sup>nd</sup> rate. Limb: Beech  
 Sugar Ash &c. Poplar &c. Undergrowth

310

S. W. N. No. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch<sup>s</sup>. W. Spire Hazel & P. Ash.

---

East On Random betw<sup>n</sup> Sec. 20 & 29.

40.00 Set temporary gr. Sec. post.

80.38 Intersect E. boundary 47<sup>th</sup> W. S. of post.

Level 2<sup>nd</sup> rate land. Tim. Beech  
Sugar Ash Elm, Hickory &c. Undergrowth  
Spice Ash Leatherwood &c.

June 6<sup>th</sup> 1820.

---

West Correct line between Sec. 20 & 29.

25.62 a Sugar 22 in. diam.

40.19 Set gr. Sec. post. from which  
a Beech 24 in. diam. bears S 41<sup>st</sup> W. 6<sup>th</sup> W. dist. &  
a Beech 18 " " " S 75<sup>th</sup> E. 11 " "

60.86 a Grey Ash 22 in. diam.

80.38 Sec. corner.

---

West Between Sec. 19 & 30.

19.90 a Sugar 20 in. diam.

40.00 Set gr. Sec. post. from which  
a Beech 12 in. dia. bears N 62<sup>nd</sup> W. 25<sup>th</sup> W. dist. &  
a Beech 10 " " " S 47<sup>th</sup> E. 23 " "

42.00 Descend 15 feet and enter Bottom in  
a swamp.

50.50 a stream 30<sup>th</sup> W. wide course E. E.

58.48 an Elm 20 in. diam.

61.08 a spring Branch course E. N. E.

75.22 a Grey Ash 24 in. diam.

95.62 Intersect W. Boundary 14<sup>th</sup> W. S. of post.  
Set post cor. to Sec. 19 & 30. from wh.  
a Buckeye 4 in. dia. bears S 72<sup>nd</sup> E. 27<sup>th</sup> W. dist. &  
a Dr. 4 " " " N 17<sup>th</sup> E. 20 " "

Land, part level part Broken 2<sup>nd</sup>  
rate. Beech Ash, Poplar Walnut Elm  
Buckeye &c. Undergrowth Spice Elm & Ash.

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

North Between sections 19 & 20.

22.75 a Beech 14 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 10 in. dia. bears N 54 E. 9 lb. dist. X  
a Beech 16 " " " West 16 lb. dist.

61.58 a Beech 16 in. diam.

69.00 Enter Windfall

70.68 a Brook 8 lb. wide course E.

80.00 Set post Corners Sec. 17, 18, 19 & 20. fr. wh.  
a Beech 5 in. dia. bears N 48 W. 7 lb. dist. X  
a Hornbeam 2 " " " 8 E. 10 " "

Land, level 2<sup>nd</sup> rate. Timber, Beech  
Ash, Elm, Sugar large Wh. Oak &c.  
Undergrowth Spice Ash. White thorn  
Hazel, Ironwood &c.

East On Random between Sec. 17 & 20.

20.00 Left Windfall

40.00 Set temporary gr. Sec. post

80.36 Intersect N & E. line 17 lb. N. of post.

Land, level & 2<sup>nd</sup> rate. Timber  
Beech Ash Sugar Walnut Elm &c.  
Undergrowth, Spice Ash Hazel and  
Hornbeam &c. &c.

West Correct line between Sec. 17 & 20.

19.72 a Beech 14 in. diam.

40.18 Set gr. sec. post, from which  
a Hornbeam 6 in. dia. bears S 26 E. 7 lb. dist. X  
a Beech 30 " " " N 45 E. 19 " "

53.76 a Beech 22 in. diam.

80.36 Section Corner.

West Between sections 18 & 19.

10.90 a Brook 5 lb. wide C. S. E.

24.48 a Grey Ash 18 in. diam.

212

S. 16 N. Tl. 12 E. 2<sup>nd</sup> Mer. Indiana.

- 40.00 Set gp. see post, from which  
a Beech 17 in. dia. bears S 53<sup>1</sup>/<sub>2</sub> W. 14 lb. dist. X  
a Do. 12 " " " N 53 E. 23 " "
- 61.50 a Beech 16 in. diam.
- 81.08 a Bl. Ash 22 in. diam.
- 95.50. Intersect W. Boundary 13 lb. N. of  
post and set post cor. to sec. 18 & 19  
from which post.  
a Beech 13 in. dia. bears S 22 E. 27 lb. dist. X  
a Buckeye 4 in. dia. bears N 50 E. 13 lb. "  
Land, level 2<sup>nd</sup> rate. Timber Ash  
Beech of various kinds, Elm Hickory  
&c. And. 8th. Spice Ash Ironwood  
Hazel Briers &c.

North Between Sections 17 & 18.

18.00 Left Windfall

24.45 a Hickory 17 in. diam.

40.00 Set gp. see post, from which  
a Hornbeam 5 in. dia. bears N 37<sup>1</sup>/<sub>2</sub> W. 19 lb. dist. X  
a Hornbeam 4 " " " S 28 E. 17 " "

60.58 a Beech 12 in. diam.

70.50 a Brook 8 lb. wide Course E.

74.34 a Stream 30 lb. wide Course E. & E.

80.00 Set post, cor. to Sec. 7, 8, 17 & 18, fr. wh.  
a Beech 16 in. dia. bears N 50<sup>1</sup>/<sub>2</sub> W. 23 lb. dist. X  
a Buckeye 7 " " " S 65 E. 14 " "  
Land, post level, part broken 2<sup>nd</sup> rate  
land. Timber Beech Ash Elm Wh. Oak  
Hickory, Sugar &c. Undergrowth  
Spice Ironwood Briers &c.

East Between Sections 8 & 17 on Boundary

12.30 a Spring Branch Course S.

25.05 a " " " S. E.

40.00 Set temp. y. gp. see post.



T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

80.88 Intersect N &amp; S. line at post.

Land, part level rich part Broken 3<sup>rd</sup> rate. Timber: Beech, Ash, White Oak, Walnut &c. Undergrowth Spice Ash, Hickory Ironwood &c. June 7<sup>th</sup> 1820.

West Correct line between Sect. 8 &amp; 17.

18.24 a Beech 14 in. diam.

40.44 Set gr. sec. post. from which  
a Beech 12 in. dia. bears N 16 W. 9 lb. dist. &  
a Do. 16 " " " S 15 W. 14 " "

60.72 a Grey Ash 22 in. diam.

80.88 Sec. corner.

West Between Sect. 7 &amp; 18.

9.50 a stream 20 lb. wide course S.

21.15 a stream 15 " " " S. E.

23.00 same stream course E. N. E.

23.25 a Beech 16 in. diam.

24.00 a Spring Branch course S. E.

30.30 a Brook 6 lb. wide " S. E.

40.00 Set gr. sec. post. from which  
a Beech 5 in. dia. bears S 35 W. 10 lb. dist. &  
a Sugar 17 " " " N 65 E 21 " "

58.34 a Blue Ash 24 in. diam.

81.25 a Sugar 26 in. diam.

93.50 stream 20 lb. wide E. E. S. E.

96.31 Intersect W. Boundary 15 lb. S. of post.  
& set post cor. to Sect 7 & 18, from which  
a Sugar 14 in. dia. bears S 64 E. 25 lb. dist. &  
an Elm 12 " " " N 76 E. 28 " "

Land, level 2<sup>nd</sup> rate. Timber: Beech  
Ash Sugar &c, & Elm Buckeye Walnut  
&c. Undergrowth Spice Hornbeam  
Sugar Elm &c. &c.

214

S.W.N. No. 12 E. 2<sup>nd</sup> Mer. Indiana.

North Between Sec. 7 & 8.

20.37 a Beech 15 in. diam.

40.00 Set q. sec. post. from which  
a Beech 5 in. dia. bears N 60 W. 12 lb. dist. &  
a Beech 4 " " " N 84 E. 6 " "

62.50 a Beech 24 in. "

80.00 Set post cor. to Sec. 5, 6, 7 & 8, fr. wh.  
a Beech 20 in. diam. bears N 22 W. 23 lb. dist. &  
a Do. 12 " " " N 47 E. 14 lb. dist.

Land level Rich 2<sup>nd</sup> rate. Timber:  
Beech Ash Sugar Poplar &c.  
Undergrowth Spice ash Cherry  
Dogwood &c.

East Or Random betw. Sec. 5 & 8.

40.00 Set temp. q. sec. post. from which

64.50 I descend 29 feet and enter bottom land.

46.00 a stream 35 lb. wide course S.E.

80.77 Intersect N & S line 4 3/4 lb. N. of post.

Land, part level part Broken 3<sup>rd</sup> rate  
Timber, Beech Ash, Sugar Elm and  
Walnut &c. Undergrowth of  
Spice, Ash, Hornbeam Ironwood and  
Cherry &c.

West Correct line between Sec. 5 & 8.

22.12 a Sugar 24 in. diam.

40.38 Set q. sec. post. from which  
a Hornbeam 4 in. dia. bears N 75 W. 13 lb. &  
a Beech 13 " " " N 43 E. 14 lb. dist.

59.41 a Hickory 20 " "

80.77 Section corner.

West Between Sections 6 & 7.

20.78 a Sugar 18 in. diam.

40.00 Set q. sec. post. from which

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

57.00 a Wh. Thorn 5 in. dia. bears S 45 E. 9 lb. dist. &  
 a Beech 14 " " " S 47 E. 21 " "  
 64.00 a Beech 14 in. diam.  
 97.68 Intersect W. Boundary line 271  
 lb. S. of post. and set post Cor. to  
 Sect. 6 & 7, from which  
 a Beech 14 in. dia. bears S 24 W. 5 lb. dist. and  
 an Ironwood 6 in. dia. bears N 69 E. 14 lb. dist.  
 Land level 2<sup>nd</sup> rate covered with a  
 thick growth of small Beech Ironwood  
 Sugar Cherry Ash & Elm Hornbeam  
 &c. Undergrowth Spice Dogwood  
 Cherry, Ash &c.

## North Between Sections 5 &amp; 6.

16.52 a Gray Ash 28 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Sugar 4 in. dia. bears N 11 W. 5 lb. dist. &  
 a Sugar 8 " " " S 69 E. 7 " "  
 45.00 Cut the W. End of a mound 75 lb.  
 Base & 9 feet high  
 61.84 a Beech 16 in. diam.  
 69.82 Intersect N. Boundary - no correspond-  
 ing corner found on correction  
 line - set post Cor. to Sect. 5 & 6,  
 from which  
 a Sugar 7 in. dia. bears S 80 E. 29 lb. dist. &  
 a Wh. Thorn 4 in. " " S 58 W. 15 " "  
 Land put level put broken second  
 rate. Timber Beech Ash Sugar Pop-  
 lar, Elm, Spruce &c. Undergrowth  
 Spice Ash &c.


June 8<sup>th</sup> 1820.

Surveyed by Thomas Brown  
 Deputy Surveyor.

216

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

I certify that the foregoing transcripts  
of field notes of Township N<sup>o</sup>. 16 N.  
in Range N<sup>o</sup>. 12 East of the 2<sup>nd</sup> Princi-  
pal Meridian, Indiana, has been  
compared with the original field notes  
in this Office and found to be correct.

Surveyor Genl. Office  
Detroit Nov. 1. 1849.  Lucius Lyon,  
Sur. Genl.